ELSEVIER

Brain Research 693 (1995) 267–268

BRAIN RESEARCH

Author Index

Adell, A. and Myers, R.D.
Selective destruction of midbrain raphe nuclei by 5,7-DHT: is brain 5-HT involved in alcohol drinking in Sprague–Dawley rats? (693) 70
Aicher, S.A., Kurucz, O.S., Reis, D.J. and Milner, T.A.
Nucleus tractus solitarius efferent terminals synapse on neurons in the caudal ventrolateral medulla that project to the rostral ventrolateral medulla (693) 51
Alcala, J.R., see Kreisman, N.R. (693) 179
Andersen, B.B., see Pakkenberg, H. (693) 201
Araki, T., Kato, M. and Kobayashi, T.
Limbic seizures originating in the olfactory bulb: an electro-behavioral and glucose metabolism study (693) 207
Arendash, G.W., see Socci, D.J. (693) 88

Barrère, B., see Piérard, C. (693) 251
Basbaum, A.I., see Matos, F.F. (693) 187
Baylis, H.A., see Hosie, A.M. (693) 257
Bernton, E., see Clapp, L.E. (693) 101
Buckingham, S.D., see Hosie, A.M. (693) 257
Bures, J., see Rashidy-Pour, A. (693) 64
Burns, R.S., see Pakkenberg, H. (693) 201

Caldwell, J.D., Walker, C.H., Faggin, B.M., Carr, R.B., Pedersen, C.A. and Mason, G.A.
Characterization of progesterone-3-[^{125}I-BSA] binding sites in the medial preoptic area and anterior hypothalamus (693) 225
Carr, R.B., see Caldwell, J.D. (693) 225
Castanon, N., see Chaouloff, F. (693) 169
Chan, Y.S., see Lai, C.H. (693) 39
Chaouloff, F., Kulikov, A., Sarrieau, A., Castanon, N. and Mormède, P.
Male Fischer 344 and Lewis rats display differences in locomotor reactivity, but not in anxiety-related behaviours: relationship with the hippocampal serotonergic system (693) 169
Chiou, A.L., see Wang, Y. (693) 233
Clapp, L.E., Klette, K.L., DeCoster, M.A., Bernton, E., Petras, J.M., Dave, J.R., Laskosky, M.S., Smallridge, R.C. and Tortella, F.C.
Phospholipase A_2-induced neurotoxicity in vitro and in vivo in rats (693) 101
Crandall, B.M., see Socci, D.J. (693) 88

Damsma, G., see Pfaus, J.G. (693) 21
DaSilva, A.M.T., see Gatti, P.J. (693) 80
Dave, J.R., see Clapp, L.E. (693) 101
DeCoster, M.A., see Clapp, L.E. (693) 101
De Groat, W.C., see Matsumoto, G. (693) 246
DeLorenzo, R.J., see Jakoi, E.R. (693) 124

Edström, A., Ekström, P. and Wiklund, P.
Moderate elevation of extracellular potassium transiently inhibits regeneration of sensory axons in cultured adult sciatic nerves (693) 148
Ekström, P., see Edström, A. (693) 148

Faden, A.I., see Sun, F.-Y. (693) 163
Faggin, B.M., see Caldwell, J.D. (693) 225
Fibiger, H.C., see Pfaus, J.G. (693) 21

Gatti, P.J., Homby, P.J., Mandal, A.K., Norman, W.P., DaSilva, A.M.T. and Gillis, R.A.
Cardiovascular neurons in cat caudal ventrolateral medulla: location and characterization of GABAergic input (693) 80
Gatti, P.J., Shirahata, M., Johnson, T.A. and Massari, V.J.
Synaptic interactions of substance P immunoreactive nerve terminals in the baro- and chemoreceptor reflexes of the cat (693) 133
Gerwin, C.M., see Jakoi, E.R. (693) 124
Gillis, R.A., see Gatti, P.J. (693) 80
Goldstein, J., see Mallo, G. (693) 196
Guezennec, C.Y., see Piérard, C. (693) 251
Gullans, S.R., see Trachtman, H. (693) 155

Halonen, T., Kotti, T., Tuunanen, J., Toppinen, A., Miettinen, R. and Riekkinen, P.J.
α_2-Adrenoceptor agonist, dexmedetomidine, protects against kainic acid-induced convulsions and neuronal damage (693) 217
Hayashi, S., see Orikasa, C. (693) 112
Hirai, K.-I., see Mizutani, Y. (693) 95
Hisamitsu, T., see Matsumoto, G. (693) 246
Hofman, M.A., see Lucassen, P.J. (693) 261
Homby, P.J., see Gatti, P.J. (693) 80
Hosie, A.M., Shirai, Y., Buckingham, S.D., Rauh, J.J., Roush, R.T., Baylis, H.A. and Sattelle, D.B.
Blocking actions of BIDN, a bicyclic dinitrile convulsant compound, on wild-type and dieldrin-resistant GABA receptor homo-oligomers of *Drosophila melanogaster* expressed in *Xenopus* oocytes (693) 257
Hoss, W., see Periyasamy, S. (693) 118

Jakoi, E.R., Panchision, D.M., Gerwin, C.M. and DeLorenzo, R.J.
Post-transcriptional regulation of gene expression in hippocampal neurons by glutamate receptor activation (693) 124
Johnson, T.A., see Gatti, P.J. (693) 133

Katayama, T., see Murakami, N. (693) 1
Kato, M., see Araki, T. (693) 207
Kim, S.U., see McLarnon, J.G. (693) 8
Klette, K.L., see Clapp, L.E. (693) 101
Kobayashi, T., see Araki, T. (693) 207
Kotti, T., see Halonen, T. (693) 217
Kreisman, N.R., LaManna, J.C., Liao, S.-C., Yeh, E.R. and Alcala, J.R.
Light transmittance as an index of cell volume in hippocampal slices: optical differences of interfaced and submerged positions (693) 179
Kulikov, A., see Chaouloff, F. (693) 169
Kurucz, O.S., see Aicher, S.A. (693) 51

Lagarde, D., see Piérard, C. (693) 251
Lai, C.H. and Chan, Y.S.
Properties of otolith-related vestibular nuclear neurons in response to bidirectional off-vertical axis rotation of the rat (693) 39
LaManna, J.C., see Kreisman, N.R. (693) 179
Laskosky, M.S., see Clapp, L.E. (693) 101
Levine, J.D., see Matos, F.F. (693) 187
Liao, S.-C., see Kreisman, N.R. (693) 179
Lin, J.C., see Wang, Y. (693) 233
López-Costa, J.J., see Mallo, G. (693) 196
Lucassen, P.J., Hofman, M.A. and Swaab, D.F.
Increased light intensity prevents the age related loss of vasopressin-expressing neurons in the rat suprachiasmatic nucleus (693) 261

Mallo, G., Goldstein, J., López-Costa, J.J. and Pecci Saavedra, J.
Expression of c-*fos* and c-*jun* in rat retina following protracted illumination (693) 196
Mandal, A.K., see Gatti, P.J. (693) 80

Mason, G.A., see Caldwell, J.D. (693) 225
Massari, V.J., see Gatti, P.J. (693) 133
Matos, F.F., Rollema, H., Taiwo, Y.O., Levine, J.D. and Basbaum, A.I.
Relationship between analgesia and extracellular morphine in brain and spinal cord in awake rats (693) 187
Matsumoto, G., Hisamitsu, T. and De Groat, W.C.
Non-NMDA glutamatergic excitatory transmission in the descending limb of the spinobulbospinal micturition reflex pathway of the rat (693) 246
McLarnon, J.G., Sawyer, D. and Kim, S.U.
Cation and anion unitary ion channel currents in cultured bovine microglia (693) 8
Menu, J.P., see Piérard, C. (693) 251
Messer, Jr., W.S., see Periyasamy, S. (693) 118
Miettinen, R., see Halonen, T. (693) 217
Milner, T.A., see Aicher, S.A. (693) 51
Mizutani, Y., Hirai, K.-I., Wang, G.-Y., Toda, N. and Yamazaki, Y.
Fine localization of low and high calcium dependent ATPase activities in the rat sciatic nerve (693) 95
Mormède, P., see Chaouloff, F. (693) 169
Motaghed-Larijani, Z., see Rashidy-Pour, A. (693) 64
Murakami, N., Nishi, R., Katayama, T. and Nasu, T.
Inhibitor of protein synthesis phase-shifts the circadian oscillator and inhibits the light induced-phase shift of the melatonin rhythm in pigeon pineal cells (693) 1
Myers, R.D., see Adell, A. (693) 70

Nasu, T., see Murakami, N. (693) 1
Nishi, R., see Murakami, N. (693) 1
Norman, W.P., see Gatti, P.J. (693) 80

Orikasa, C., Yokosuka, M. and Hayashi, S.
Expression of estrogen receptor in the facial nucleus is suppressed by estradiol, but not by testosterone, indicating a lack of requirement for aromatization (693) 112

Pakkenberg, B., see Pakkenberg, H. (693) 201
Pakkenberg, H., Andersen, B.B., Burns, R.S. and Pakkenberg, B.
A stereological study of substantia nigra in young and old rhesus monkeys (693) 201
Panchision, D.M., see Jakoi, E.R. (693) 124
Pecci Saavedra, J., see Mallo, G. (693) 196
Pedersen, C.A., see Caldwell, J.D. (693) 225
Pérès, M., see Piérard, C. (693) 251
Periyasamy, S., Messer, Jr., W.S., Roknich, S., Sauerberg, P. and Hoss, W.
1,2,5-Thiadiazole derivatives of arecoline stimulate M_1 receptors coupled to phosphoinositide turnover (693) 118
Petras, J.M., see Clapp, L.E. (693) 101
Pfaus, J.G., Damsma, G., Wenkstern, D. and Fibiger, H.C.
Sexual activity increases dopamine transmission in the nucleus accumbens and striatum of female rats (693) 21
Piérard, C., Satabin, P., Lagarde, D., Barrère, B., Guezennec, C.Y., Menu, J.P. and Pérès, M.
Effects of a vigilance-enhancing drug, modafinil, on rat brain metabolism: a 2D COSY ^{1}H-NMR study (693) 251

Rashidy-Pour, A., Motaghed-Larijani, Z. and Bures, J.
Tolerance to ketamine-induced blockade of cortical spreading depression transfers to MK-801 but not to AP5 in rats (693) 64
Rauh, J.J., see Hosie, A.M. (693) 257
Rauvala, H., see Wewetzer, K. (693) 31
Reis, D.J., see Aicher, S.A. (693) 51
Riekkinen, P.J., see Halonen, T. (693) 217
Roknich, S., see Periyasamy, S. (693) 118
Rollema, H., see Matos, F.F. (693) 187
Roush, R.T., see Hosie, A.M. (693) 257

Sarrieau, A., see Chaouloff, F. (693) 169
Satabin, P., see Piérard, C. (693) 251
Sattelle, D.B., see Hosie, A.M. (693) 257
Sauerberg, P., see Periyasamy, S. (693) 118
Sawyer, D., see McLarnon, J.G. (693) 8
Shirahata, M., see Gatti, P.J. (693) 133
Shirai, Y., see Hosie, A.M. (693) 257
Smallridge, R.C., see Clapp, L.E. (693) 101
Socci, D.J., Crandall, B.M. and Arendash, G.W.
Chronic antioxidant treatment improves the cognitive performance of aged rats (693) 88
Sun, F.-Y. and Faden, A.I.
Pretreatment with antisense oligodeoxynucleotides directed against the NMDA-R1 receptor enhances survival and behavioral recovery following traumatic brain injury in rats (693) 163
Swaab, D.F., see Lucassen, P.J. (693) 261

Taiwo, Y.O., see Matos, F.F. (693) 187
Toda, N., see Mizutani, Y. (693) 95
Toppinen, A., see Halonen, T. (693) 217
Tortella, F.C., see Clapp, L.E. (693) 101
Trachtman, H., Yancey, P.H. and Gullans, S.R.
Cerebral cell volume regulation during hypernatremia in developing rats (693) 155
Tuunanen, J., see Halonen, T. (693) 217

Unsicker, K., see Wewetzer, K. (693) 31

Walker, C.H., see Caldwell, J.D. (693) 225
Wang, G.-Y., see Mizutani, Y. (693) 95
Wang, Y., Chiou, A.L., Yang, S.T. and Lin, J.C.
Ketamine antagonizes hypoxia-induced dopamine release in rat striatum (693) 233
Wenkstern, D., see Pfaus, J.G. (693) 21
Wewetzer, K., Rauvala, H. and Unsicker, K.
Immunocytochemical localization of the heparin-binding growth-associated molecule (HB-GAM) in the developing and adult rat cerebellar cortex (693) 31
Wiklund, P., see Edström, A. (693) 148

Yamazaki, Y., see Mizutani, Y. (693) 95
Yancey, P.H., see Trachtman, H. (693) 155
Yang, S.T., see Wang, Y. (693) 233
Yeh, E.R., see Kreisman, N.R. (693) 179
Yokosuka, M., see Orikasa, C. (693) 112